

WHAT IS CLAIMED IS:

1. A communication device comprising:
mail creation means for creating an electronic
mail;

5 means for detecting the current position of the
communication device; and

transmission means for attaching information
corresponding to the current position to the electronic
mail and transmitting the electronic mail with the
information being attached.

2. The device according to claim 1, wherein said
transmission means comprises:

means for storing regional information specific to
areas; and

15 means for reading the regional information
corresponding to an area including said current
position from said storing means and attaching the
regional information to the electronic mail.

20 3. The device according to claim 2, wherein said
storing means stores at least one of scenic images of
areas, logo marks of areas, and advertisement images
corresponding to areas.

4. The device according to claim 2, wherein said
storing means comprises a read-only memory.

25 5. The device according to claim 2, wherein said
storing means comprises a rewritable memory and means
for writing externally supplied information to said

006080" T05E960

Sub
91

rewritable memory.

6. A radio communication system comprising:
a communication terminal; and
a cell station connecting to said communication
terminal via a radio channel,

said communication terminal comprising:
mail creation means for creating an
electronic mail;

means for detecting the current position of
the communication device; and

transmission means for attaching information
corresponding to the current position to the electronic
mail and transmitting the electronic mail with the
information being attached.

7. The system according to claim 6, wherein said
terminal comprises means for storing regional
information specific to positions of the terminal, and

said transmission means reads the regional
information corresponding to the current position from
said storing means and attaching the regional
information to the electronic mail.

8. The system according to claim 7, wherein said
storing means stores at least one of scenic images of
areas, logo marks of areas, and advertisement images
corresponding to areas.

9. The system according to claim 7, wherein said
storing means comprises a read-only memory.

006080" T05E960

Sub
a1

10. The system according to claim 7, wherein said storing means comprises a rewritable memory and means for writing externally supplied information to said rewritable memory.

5

11. A radio communication system comprising:

a communication terminal; and

a cell station connecting to said communication terminal via a radio channel,

said communication terminal comprising:

10

mail creation means for creating an electronic mail;

means for detecting the current position of the communication device; and

15

transmission means for attaching position information indicating the current position to the electronic mail and transmitting the electronic mail with the position information being attached to the cell station, and

20

said cell station comprising means for attaching regional information corresponding to the current position based on the position information and for transmitting the electronic mail with the regional information being attached.

25

12. The system according to claim 11, wherein said cell station comprises:

means for storing regional information specific to positions of the terminal; and

09535011.080900

Sub
ai

means for reading the regional information corresponding to the current position from said storing means and attaching the regional information to the electronic mail.

5 13. The system according to claim 12, wherein said storing means stores at least one of scenic images of areas, logo marks of areas, and advertisement images corresponding to areas.

10 14. The system according to claim 12, wherein said storing means comprises a read-only memory.

 15. The system according to claim 12, wherein said storing means comprises a rewritable memory and means for writing externally supplied information to said rewritable memory.

Sub
91

Add B17

006080" T 050900